

Material Safety Data Sheet

Version No.: 0.0 (Rev. date : 2021-01-21)

RWA1 Buffer

1. Product and company identification

Product Name : RWA1 Buffer

Recommended Use : For Research Use Only

Supply Information

- Company : Bioneer
 - Address : 8-11 Munpyeongseo-ro, Daedeok-gu, Daejeon 34302, Republic of Korea
 - Emergency telephone number : 82-42-930-8777
-

2. Hazards identification

A. Classification of the hazardous chemical

Acute toxicity (oral): Class 4

Skin corrosive/irritation : Class 2

Serious eye damage/eye irritant : Class 2A

B. Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statements

H225 : Highly flammable liquid and vapor

H302 : Harmful if swallowed

H319 Causes serious eye damage

H331 Toxic if inhaled

H350 : May cause cancer

C. Precautionary statements

– Prevention :

P201 : Obtain special instructions before use.

P202 : Do not handle until all safety precautions have been read and understood.

P210 : Keep away from heat/sparks/open flames/hot surfaces. – No smoking

P233 : Keep container tightly closed.

P240 : Ground/bond container and receiving equipment.

P241 : Use explosion-proof electrical/ventilating/lighting/equipment..

P242 : Use only non-sparking tools.

P243 : Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area

P280 Wear Protective glove/protective clothing/eye protection/face protection

– Response :

P301+P312 : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P303+P361+P353 : IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 : IF exposed or concerned: Get medical advice/attention.

P311 : Call a POISON CENTER or doctor/physician

P330 : Rinse mouth..

P337+P313 : If eye irritation persists: Get medical advice/attention.

P370+P378 : In case of fire: Use powder extinguisher for extinction.

– Storage :

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 : Store in a well-ventilated place. Keep cool.

P405 Store locked up.

– Disposal :

P501 Dispose of contents/container to information set forth in the relevant laws and regulations.

D. Other Risks-Hazards Not Included in Risk-Hazard Classification

No information

3. Composition/information on ingredients

Chemical name	Synonyms	CAS No.	Weight (%)
Guanidinium thiocyanate		593-84-0	< 50 %
Ethyl Alcohol		64-17-5	< 50%

4. First aid measures

A. Eye contact

If in eyes, rinse carefully with water for more than 20 minutes.

Take urgent medical attention.

If possible, remove contact lenses.

Keep washing.

If eye irritation persists, seek medical attention and advice

B. Skin Contact

Call a medical center or doctor/physician you feel unwell

Take off contaminated clothing and wash before reuse

For hot substances, soak affected areas in a large amount of cold water to eliminate heat

Take urgent medical attention

Remove contaminated clothing and shoes and isolate contaminated areas

Flush skin and eyes with water for at least 20 minutes immediately upon contact with substance

Wash clothes and shoes thoroughly before reuse.

Prevent the spread of contaminated areas on minor skin contact

C. Inhalation

If exposed to the substance and feel uncomfortable, consult a medical institution (doctor)

Remove victim to fresh air and keep at rest in a position comfortable for breathing

D. Ingestion

Do not feed anything by mouth to an unconscious person.

Take immediate medical attention.

If swallowed and feel uncomfortable, consult a medical institution (doctor)

Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance. Induce artificial respiration with proper respiratory medical device

E. Notes to Physician

Have a medical personnel know about the substance and take protective measures.

5. Fire-fighting measures

A. Proper (improper) extinguishing Media

Use of alcohol, carbon dioxide or water spray in the digestion of this substance

Use dry sand or dirt during choking digestion

B. Special hazards from chemicals

The container may explode when heated.

May cause irritating and very toxic gases by burning or pyrolysis during burning

Some may be burned but do not ignite easily

Vapor may cause ignition when near ignition source

Toxic gases may form during heat decomposition or combustion

May form explosive mixture near and above ignition point

Vapor explosion hazard indoors, outdoors and in sewers

Non-flammable, the substance itself is not burned, but can be decomposed during heating to cause corrosive/toxic fume

C. Firefighting Protection and Precautions

Some may be transported at high temperatures

Fire-fighters should wear appropriate protective equipment

Fight fire from a safe distance

Let the ditch be dug up for the disposal of the extinguishing water and keep the material from scattering.

If you are not dangerous, move the container in the fire area

After the extinguishing of the tank fire, the container should be cooled with plenty of water

If there is a high tone in the tank fire or if the tank is discolored, pull back immediately

When the tank fires, pull back from the tank in flames

6. Accidental release measures

A. Personal Precautions

Avoid inhalation (dust, fume, gas, mist, vapor, spray)

Immediately wipe off any spills and follow preventive measures in the protective section.

Remove all ignition sources

If you are not at risk, stop the leak.

Do not touch the damaged container or leaking water without wearing adequate protection.

Cover with plastic sheet to stop spreading

Ground every equipment when treating the material

Be aware of the materials and conditions that should be avoided

B. Environmental precautions :

Avoid ingress into water, sewers, basements and confined spaces

C. Methods and material for containment and cleaning up

For small leaks, absorb into sand, non-combustible material and soak in container.

Absorb liquids and flush contaminated areas with detergent and water.

Absorb the spills into an inert material (e.g. dry sand or soil) and put it in a chemical waste container.

7. Handling and storage**A. Handling precautions**

Avoid inhalation of dust, fume, gas, mist, vapor and spray.

Only handle in well-ventilated places.

Wash the treated area thoroughly after handling.

After the container has been emptied, the product residue may still remain, so follow all the MDS/label precautions.

Please use the handling/storage carefully.

Carefully open the forehead before opening.

Do not eat, drink or smoke when using this product

Avoid long term or repeated skin contact

Do not inhale the vapor from heated material

Do not enter the storage area without proper ventilation

Ground every equipment when treating the material

Beware of high temperature

Be aware of the materials and conditions that should be avoided

Work with reference to engineering management and personal protective equipment

B. Storage precautions

Drain the empty drum completely and prevent it from being properly put back on the drum regulator or place it properly.

Store container tightly sealed in a well-ventilated place.

Keep away from food and drinks.

8. Exposure controls / personal protection

A. Chemical Exposure Standards, Biological Exposure Standards Etc. :

Domestic Regulation:

Ethyl alcohol TWA: 1000 ppm

ACHIH Regulation:

Ethyl alcohol STEL: 1000 ppm mg/m³

Biological Exposure Standards:

No information

B. Proper physical management : In case of dust, fume or mist during operation, ventilate air pollution to be maintained below exposure criteria. Facilities for storing or using this material should be equipped with a washing machine and safety shower.

C. Personal protection

Respiratory protection

Wear a respirator that is certified by the Occupational Safety and Health agency to match the physical and chemical properties of the exposed material.

Wear an oxygen-deficient (< 19.6%), Pine-mask, or self-feeding respirator.

In the case of gas/liquid materials, the following respiratory protection is recommended-isolation type

full-type mask (for organic compounds (acidic gas gas)) or isolated formula, whereas mold mask (for organic compounds (acid Gas Castle Gas)) or direct connection type full-type mask (for organic compounds (acidic gas if acid gas)) or, whereas the type gas mask (for organic compounds (acidic gas)) or motorized gas mask

- Eyes protection : No information
- Hands protection : No information
- Body protection : No information

9. Physical and chemical properties

GUANIDINE THIOCYANATE

A. Appearance : Solid (Solid: bulk)

※Reference : ECHA

B. Odor : No information

※Reference : ECHA

C. Odor threshold : No information

D. pH : 4.8~6 (1,420 g/l at 20℃)

※Reference : sigma

E. Freezing/Melting point : 118~121 ℃

※Reference : ECHA

F. Boiling point and Range : 132.9 ℃

G. Flash point : 34.2 ℃

H. Evaporation speed : No information

I. Flammability (Solid, Gas) : No flammability

※Reference : ECHA

J. Ignition or explosion range : No information

K. Vapor pressure : < 0 Pa (약 20℃)

※Reference : ECHA

L. Solubility : 약 636 g/l (25℃, pH: 약 5.1)

※Reference : ECHA

M. Vapor density : No information

N. Specific weight : About 1.29 (25°C, relative density)

※Reference : ECHA

O. n-Octanol/Water solubility coefficient : -1.11

※Reference : ECHA

P. Self-Flammability : No self-flammability under the test condition

※Reference : ECHA

Q. Decomposition temperature : 118~121 °C

※Reference : ECHA

R. Viscosity : No information

S. Molecular weight : 118.18

※Reference : ECHA

10. Stability and Reactivity

A. Chemical stability and toxic reaction potential

The container may explode when heated.

Some may generate flammable hydrogen gas in contact with metals

Non-flammable, the substance itself is not burned, but can be decomposed during heating to cause corrosive/toxic fume

Some may be burned but do not ignite easily

Inhalation of substances may be harmful

May cause irritation, corrosive, toxic fumes in the event of fire

Vapor may move to ignition sources and flash back

B. Conditions to avoid

Heat, sparks, flames, etc. Ignition source

C. Conditions to avoid

Flammable materials, reducing materials, toxic gases

D. Hazardous decomposition products

May cause irritating and very toxic gases by burning or pyrolysis during burning

Irritant, toxic gases

11. Toxicological information

A. Probable exposure paths

No information

B. Health hazard information

Acute toxicity

– Oral

Guanidium thiocyanate LD50 593 mg/kg 593 mg/kg Rat

Ethyl alcohol LD50 7060 mg/kg Rat (OECD Guideline 401) ※ECHA

– Skin

Guanidium thiocyanate LD50 2000 mg/kg Rabbit

Ethyl alcohol No information

– Inhalation

Guanidium thiocyanate Dust LC50 0.853 mg/l 4 hr Rat

Ethyl alcohol Vapor LC50 30300 mg/m³ 4 hr Mouse (OECD Guideline 403) ※ ECHA

Skin corrosion/irritation

Guanidium chloride: Serious irritation to skin (Rabbit)

Ethyl alcohol: No irritation (OECE Guideline 404, GLP) (Rabbit) ※ ECHA

Serious eye damage/eye irritation

Ethyl alcohol: conjunctivitis, conjunctival edema, iris damage, corneal damage (OECE Guideline 405) (Rabbit) ※

ECHA

Respiratory or skin sensitization : No information

Carcinogenicity :

Industrial Safety Regulation : No information

Department of Labor Notice : Ethyl alcohol 1A

IARC : 1 (Ethanol in alcoholic beverages)

OSHA : No information

ACGIH : Ethyl alcohol A3

NTP : No information

EU CLP : No information

Germ cell mutagenicity

No information

Reproductive toxicity

No information

Specific target organ toxicity (single exposure)

Ethyl alcohol: inactivate vestibular function (rabbit)

Specific target organ toxicity (repeated exposure) No information

Aspiration hazard: No information

12. Ecological information

A. Biological toxicity

– Fish

Guanidium thiocyanate LC50 89.1 mg/ℓ 96 hr *Poecilia reticulata* (OECD TG 203 , GLP)

Ethyl alcohol: LC50 MIN 100 mg/ℓ 96 hr *Pimephales promelas* ※SIDS 2005

– Crustacean

Ethyl alcohol: LC50 5012 mg/ℓ 48 hr *Ceriodaphnia dubia* (other guideline: ASTM E729-80)※ECHA

– Avian

Ethyl alcohol: ErC50 275 mg/ℓ 72 hr *Chlorella vulgaris* (OECD Guideline 201)※ECHA

B. Persistency and Degradability

– Persistency: Ethyl alcohol log Kow -0.32 ※ICSC

– Degradability: No information

C. Bioconcentration

– Bioconcentration : Ethyl alcohol BCF 1 ※ECHA

– Biodegradability : Ethyl alcohol BCF 1 ※ECHA

D. Soil mobility: No information

E. Other toxic effects:

Ethyl alcohol

Crustacean :Daphnia magna: NOEC, 9d, = 9.6 mg/L

Algae: Skeletonema costatum: NOEC, 120h, = 3240mg/L ※ ECHA

13. Disposal considerations

A. Disposal method : Dispose of contents and containers in accordance with the regulations, as specified in the Waste Control Act.

B. Disposal considerations : Please take into account the precautions set forth in the Waste Control Act.

14. Transport information

A. UN No :

Guanidine thiocyanate – 2811

Ethyl alcohol – 1170

B. UN proper shipping name :

Guanidine thiocyanate GUANIDINIUM SULFATE

Ethyl alcohol – ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION(ETHYL ALCOHOL SOLUTION)

C. Transport hazard class :

Guanidine thiocyanate – 6.1

Ethyl alcohol – 3

D. Packaging group :

Guanidine thiocyanate – I

Ethyl alcohol – II

E. Environmental hazards : No classification information

F. Special Safety Measures for Users Regarding Shipping or Shipping Measures :

EmS Fire:

Guanidine thiocyanate – F–A

Ethyl alcohol – F–E

EmS Spill:

Guanidine thiocyanate – S–A

Ethyl alcohol – S-D

15. Regulatory information

- A. Industrial safety and health regulation : No information
- B. Hazardous chemical management regulation : No information
- C. Dangerous material management regulation : No information
- D. Waste management regulation : No information
- E. Other domestic and international regulations :

International Regulations

- OSHA Regulation : Not Applicable
- CERCLA Regulation : Not Applicable
- EPCRA 302 Regulation : Not Applicable
- EPCRA 304 Regulation : Not Applicable
- EPCRA 313 Regulation : Not Applicable
- Rotterdam Convention Substance : Not Applicable
- Stockholm Convention Substance : Not Applicable
- Montreal Protocol Substance : Not Applicable
- EU Classification (Confirmed Classification Result)

Ethyl alcohol : Flam. Liq. 2

- EU Classification (Risk Phrases) : Ethyl alcohol : H225
 - EU Classification (Safety Phrases) : No information
-

16. Other information

A. Source of Information

Guanidium thiocyanate

ECHA

sigma

Ethyl alcohol

HSDB

chemicalbook

ICSC

ECHA Registered substances

HSDB, OECD SIDS, ICSC

SIDS 2005(Fish)

ECHA(Crustacean) ECHA(Avian)

B. Initial Issue Date : 2021-01-21

C. Revision Count and Latest Revision Date : 0, 2021-01-21

D. Others

Bioneer Corporation makes no warranty or representation to its completeness, accuracy or currency. This material is intended for use by persons with pertinent technical skills and at their discretion and risk. It is the responsibility of the user to determine the product's suitability for its intended use, the product's safe use, and the product's proper disposal. Disposal of hazardous material may be subject to federal, state or local laws or regulations.
